Spec Sheets

# 150PD-8 Plateform Mounts Diamond

**Item #** 150PD-8 Plateform Mounts Diamond
**Manufacturer:** Parker Lord Corporation

## Specifications

| | |
|---|---|
| **A (in)** | **1.5** |
| **Axial Static Spring Rate (lbs/in)** | **128** |
| **Axial Static Spring Rate (Metric)** | **22.4** |
| **B (in)** | **1.75** |
| **C (in)** | **1.375** |
| **D (in)** | **0.257** |
| **E (in)** | **0.166** |
| **Enclosure Shape** | **Diamond** |
| **F (in)** | **0.05** |
| **F (mm)** | **1.3** |
| **G (in)** | **0.4** |
| **G (mm)** | **10.2** |
| **I (in)** | **0.62** |




Lord Plateform Mounts provide effective isolation against vibration. The contour of the flexing element was developed to provide uniform stress distribution. This, plus high strength bonding and the use of specially compounded elastomers, provides

RPM INDUSTRIAL RUBBER PARTS

Request for Quote | Contact Us


**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Mounts, offer a range in load ratings from 0.5 to 600 pounds. Snubbing washers provide an interlocking system of metal parts which act to prevent damage from overload or excessive shock impact. Lord Plateform Mounts are easy to install and provide space efficiency. Typical applications include electronic equipment, business machines, medical equipment and small pumps, engines and gen sets.



**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Spec Sheets

# 150PD-8 Plateform Mounts Diamond

**Item #** 150PD-8 Plateform Mounts Diamond
**Manufacturer:** Parker Lord Corporation

## Specifications (Continued)

| | |
|---|---|
| **I (mm)** | **15.7** |
| **Inside Diameter (in)** | **0.26** |
| **K (in)** | **2.38** |
| **K (mm)** | **60.5** |
| **M (in)** | **0.196** |
| **M (mm)** | **5** |
| **Manufacturer** | **Parker LORD** |
| **Material** | **Steel** |
| **Max Axial Load Rating (lbs)** | **8** |
| **Max Axial Load Rating (Metric)** | **36** |
| **Max Axial Rated Load at 1/16 in (1.58 mm) Deflection (lbs)** | **8** |
| **Max Axial Rated Load at 1/16 in (1.58 mm) Deflection (Metric)** | **36** |
| **O (in)** | **1.12** |




Lord Plateform Mounts provide effective isolation against vibration. The contour of the flexing element was developed to provide uniform stress distribution. This, plus high strength bonding and the use of specially compounded elastomers, provides

RPM INDUSTRIAL RUBBER PARTS

Request for Quote | Contact Us

**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Mounts, offer a range in load ratings from 0.5 to 600 pounds. Snubbing washers provide an interlocking system of metal parts which act to prevent damage from overload or excessive shock impact. Lord Plateform Mounts are easy to install and provide space efficiency. Typical applications include electronic equipment, business machines, medical equipment and small pumps, engines and gen sets.



**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Spec Sheets

# 150PD-8 Plateform Mounts Diamond

**Item #** 150PD-8 Plateform Mounts Diamond
**Manufacturer:** Parker Lord Corporation

## Specifications (Continued)

| | |
|---|---|
| **O (mm)** | **28.4** |
| **Outside Diameter (in)** | **1.38** |
| **Outside Diameter (mm)** | **35.1** |
| **P (in)** | **0.032** |
| **P (mm)** | **0.8** |
| **Q (in)** | **1.945** |
| **Q (mm)** | **49.4** |
| **R (in)** | **0.88** |
| **R (mm)** | **22.4** |
| **Recommended Steel Washer** | **J-2049-2** |
| **S (in)** | **2.32** |
| **S (mm)** | **58.9** |
| **Series** | **150** |




Lord Plateform Mounts provide effective isolation against vibration. The contour of the flexing element was developed to provide uniform stress distribution. This, plus high strength bonding and the use of specially compounded elastomers, provides

RPM INDUSTRIAL RUBBER PARTS

Request for Quote

Contact Us

**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Mounts, offer a range in load ratings from 0.5 to 600 pounds. Snubbing washers provide an interlocking system of metal parts which act to prevent damage from overload or excessive shock impact. Lord Plateform Mounts are easy to install and provide space efficiency. Typical applications include electronic equipment, business machines, medical equipment and small pumps, engines and gen sets.



**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Spec Sheets

# 150PD-8 Plateform Mounts Diamond

**Item #** 150PD-8 Plateform Mounts Diamond
**Manufacturer:** Parker Lord Corporation

## Specifications (Continued)

| | |
|---|---|
| **Thickness (in)** | **0.05** |
| **Thickness (Metric)** | **1.3** |
| **U (in)** | **0.18** |
| **U (mm)** | **4.6** |




Lord Plateform Mounts provide effective isolation against vibration. The contour of the flexing element was developed to provide uniform stress distribution. This, plus high strength bonding and the use of specially compounded elastomers, provides

RPM INDUSTRIAL RUBBER PARTS

Request for Quote

Contact Us

**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Mounts, offer a range in load ratings from 0.5 to 600 pounds. Snubbing washers provide an interlocking system of metal parts which act to prevent damage from overload or excessive shock impact. Lord Plateform Mounts are easy to install and provide space efficiency. Typical applications include electronic equipment, business machines, medical equipment and small pumps, engines and gen sets.



**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com