Spec Sheets

# CB-2201-4 Two-Piece Mounts Cb 2200 Series

**Item** # CB-2201-4 Two-Piece Mounts Cb 2200 Series

## Specifications

| | |
|---|---|
| **A (in)** | **1.281.34** |
| **Applicable Steel Washer** | **J-2049-89** |
| **B (in)** | **0.3870.407** |
| **C (in)** | **0.58** |
| **D (in)** | **1.221.28** |
| **E (in)** | **0.760.82** |
| **Elastomer** | **Natural Rubber** |
| **F (in)** | **0.4550.515** |
| **F (mm)** | **12.3** |
| **G (in)** | **0.580.62** |
| **G (mm)** | **15.2** |
| **H Thick Support Plate (in)** | **0.44** |
| **H Thick Support Plate (mm)** | **11.2** |




Two-Piece Mounts are designed for applications involving severe dynamic forces in the static load direction, as well as the rebound direction. Travel is limited in both directions by rubber in compression which provides snubbing.
These mounts are designed to support engines, cabs and accessory units, accommodate frame racking and twisting while isolating vibration and absorbing shock. Typical applications for Two-Piece Mounts include on-highway, off-highway vehicles, construction and industrial machines.

RPM INDUSTRIAL RUBBER PARTS

Request for Quote

Contact Us

**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Spec Sheets

# CB-2201-4 Two-Piece Mounts Cb 2200 Series

**Item** # CB-2201-4 Two-Piece Mounts Cb 2200 Series

## Specifications (Continued)

| | |
|---|---|
| **H Thin Support Plate (in)** | **0.44** |
| **H Thin Support Plate (mm)** | **11.2** |
| **Inside Diameter (in)** | **0.391** |
| **Load/Deflection (lbs/in Thick Support Plate)** | **250 at 0.05** |
| **Load/Deflection Thick Support Plate (lbs at in)** | **250 at 0.05** |
| **Outside Diameter (in)** | **1.56** |
| **Outside Diameter (mm)** | **39.6** |
| **R (in)** | **0.04** |
| **R (mm)** | **1** |
| **Recommended Bolt Grade or Class (SAE J1199)** | **5.8** |
| **Recommended Bolt Grade or Class (SAE J429)** | **3/8** |
| **Recommended Bolt Size (in)** | **3/8** |
| **SD (mm)** | **19.1** |




Two-Piece Mounts are designed for applications involving severe dynamic forces in the static load direction, as well as the rebound direction. Travel is limited in both directions by rubber in compression which provides snubbing.
These mounts are designed to support engines, cabs and accessory units, accommodate frame racking and twisting while isolating vibration and absorbing shock. Typical applications for Two-Piece Mounts include on-highway, off-highway vehicles, construction and industrial machines.

RPM INDUSTRIAL RUBBER PARTS

Request for Quote | Contact Us

**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com

Spec Sheets

# CB-2201-4 Two-Piece Mounts Cb 2200 Series

**Item** # CB-2201-4 Two-Piece Mounts Cb 2200 Series

## Specifications (Continued)

| | |
|---|---|
| **Series** | **CB-2200** |
| **Thickness (in)** | **0.09** |
| **Thickness (Metric)** | **2.3** |
| **Thickness (T) Thick Support Plate (in)** | **0.375** |
| **Thickness (T) Thick Support Plate (mm)** | **9.5** |
| **Thickness (T) Thin Support Plate (in)** | **0.375** |
| **Thickness (T) Thin Support Plate (mm)** | **9.5** |




Two-Piece Mounts are designed for applications involving severe dynamic forces in the static load direction, as well as the rebound direction. Travel is limited in both directions by rubber in compression which provides snubbing.
These mounts are designed to support engines, cabs and accessory units, accommodate frame racking and twisting while isolating vibration and absorbing shock. Typical applications for Two-Piece Mounts include on-highway, off-highway vehicles, construction and industrial machines.


RPM INDUSTRIAL RUBBER PARTS

Request for Quote | Contact Us

**USA**
4392 Broadway
Depew, NY 14043

**Canada**
2290 Industrial Street
Burlington, Ontario
L7P 1A1

888.842.5668
905.335.5523
info@rpmrubberparts.com