


FCM-76-350 Safetied Tube Form Series



Item # FCM-76-350 Safetied Tube Form Series

Specifications

| Manufacturer | RPM Mechanical Inc. |
|--|---------------------|
| A (in) | 6.26 |
| A (mm) | 158.8 |
| Axial Static Deflection at Nominal Load (Imperial) | 0.17 |
| Axial Static Deflection at Nominal Load (Metric) | 4.25 |
| B (in) | 5 |
| B (mm) | 127 |
| C (in) | 0.8 |
| C (mm) | 20.2 |
| D (in) | 0.54 |
| D (mm) | 13.5 |
| E (in) | 3.51 |
| E (mm) | 89 |

- Center Bonded Mounts isolate vibration, control shock and reduce noise due to structure borne vibrations.
- Available in a full range of rated load capacities and able to withstand shock loads of 10 g's, these mounts effectively protect equipment and improve operator comfort. They are ideal for automotive, marine, railroad and industrial markets.

Center Bonded Mounts provide flexible suspension systems for mobile, transport-mounted or portable equipment. Typical applications include engines, cabs, fuel tanks, pumps, air conditioning units, compressors and industrial machinery. Non-Stock Item



[Request for Quote](#)

[Contact Us](#)

USA
4392 Broadway
Depew, NY 14043

Canada
2290 Industrial Street
Burlington, Ontario
L7P 1A1


888.842.5668

905.335.5523

info@rpmrubberparts.com



FCM-76-350 Safetied Tube Form Series



Item # FCM-76-350 Safetied Tube Form Series

Specifications (Continued)

| | |
|-------------------------------------|--------|
| F (in) | 3 |
| F (mm) | 76.2 |
| G (in) | 1.36 |
| G (mm) | 34.5 |
| I (in) | 2.52 |
| I (mm) | 64 |
| Max Radial Static Load Rating (lbs) | 771.62 |
| Max Radial Static Load Rating (kg) | 350 |

- Center Bonded Mounts isolate vibration, control shock and reduce noise due to structure borne vibrations.
- Available in a full range of rated load capacities and able to withstand shock loads of 10 g's, these mounts effectively protect equipment and improve operator comfort. They are ideal for automotive, marine, railroad and industrial markets.

Center Bonded Mounts provide flexible suspension systems for mobile, transport-mounted or portable equipment. Typical applications include engines, cabs, fuel tanks, pumps, air conditioning units, compressors and industrial machinery. Non-Stock Item



[Request for Quote](#)

[Contact Us](#)

USA
4392 Broadway
Depew, NY 14043

Canada
2290 Industrial Street
Burlington, Ontario
L7P 1A1

☎ 888.842.5668

☎ 905.335.5523

✉ info@rpmrubberparts.com

