

# J-2171-1 Chan-L™ Mount


Item # J-2171-1 Chan-L™ Mount

Manufacturer: Parker Lord Corporation



## Specifications

A (in)	2
C (in)	3.69
D (in)	4.5
E (in)	2.75
F (in)	1.56
F (mm)	39.6
Frequency	600
G (in)	0.59
G (mm)	15
Manufacturer	Parker LORD
Max Axial Deflection (in)	0.25
Max Axial Deflection (Metric)	6.4
Max Axial Load Rating (lbs)	100



Lord Machinery Mounts are designed to support heavy equipment and isolate intermittent or continuous vibration. The result is greater machine accuracy, longer service life, smoother operation and reduced maintenance. These mounts are available in four types to suit different needs. Chan-L™ Mounts are recommended for machines where vertical disturbing frequencies are 600



[Request for Quote](#)

[Contact Us](#)

**USA**  
4392 Broadway  
Depew, NY 14043

**Canada**  
2290 Industrial Street  
Burlington, Ontario  
L7P 1A1

☎ 888.842.5668  
☎ 905.335.5523  
✉ info@rpmrubberparts.com




Provides opening for 3/8" (9.5mm) hex or square head bolt. One hole centered in each side of mount top plate.



[Request for Quote](#)


[Contact Us](#)

 **USA**  
4392 Broadway  
Depew, NY 14043

 **Canada**  
2290 Industrial Street  
Burlington, Ontario  
L7P 1A1

 888.842.5668

 905.335.5523

 [info@rpmrubberparts.com](mailto:info@rpmrubberparts.com)



# J-2171-1 Chan-L™ Mount


Item # J-2171-1 Chan-L™ Mount

Manufacturer: Parker Lord Corporation



## Specifications (Continued)

Max Axial Load Rating (Metric)	448
Types	II
Weight (lbs/ft)	0.5
Weight (Metric)	0.2



Lord Machinery Mounts are designed to support heavy equipment and isolate intermittent or continuous vibration. The result is greater machine accuracy, longer service life, smoother operation and reduced maintenance. These mounts are available in four types to suit different needs. Chan-L™ Mounts are recommended for machines where vertical disturbing frequencies are 600



[Request for Quote](#)

[Contact Us](#)

**USA**  
4392 Broadway  
Depew, NY 14043

**Canada**  
2290 Industrial Street  
Burlington, Ontario  
L7P 1A1

☎ 888.842.5668

☎ 905.335.5523

✉ [info@rpmrubberparts.com](mailto:info@rpmrubberparts.com)




Provides opening for 3/8" (9.5mm) hex or square head bolt. One hole centered in each side of mount top plate.



[Request for Quote](#)

[Contact Us](#)

 **USA**  
4392 Broadway  
Depew, NY 14043

 **Canada**  
2290 Industrial Street  
Burlington, Ontario  
L7P 1A1

 888.842.5668

 905.335.5523

 [info@rpmrubberparts.com](mailto:info@rpmrubberparts.com)

