


# J-8006-66 Two-Piece Mounts Cbb Cbc Series



Item # J-8006-66 Two-Piece Mounts Cbb Cbc Series  
 Manufacturer: Lord Corporation

## Specifications

A (in)	2.5
Applicable Steel Washer	J-2049-68
B (in)	0.64
C (in)	1.5
D (in)	1.19
E (in)	0.94
F (in)	0.62
F (mm)	15.7
Figure	3 & 4
G (in)	0.5
G (mm)	12.7
ID (in)	0.66
ID (mm)	16.8



Two-Piece Mounts are designed for applications involving severe dynamic forces in the static load direction, as well as the rebound direction. Travel is limited in both directions by rubber in compression which provides snubbing. These mounts are designed to support engines, cabs and


[Request for Quote](#)
[Contact Us](#)

**USA**  
 4392 Broadway  
 Depew, NY 14043

**Canada**  
 2290 Industrial Street  
 Burlington, Ontario  
 L7P 1A1

☎ 888.842.5668

☎ 905.335.5523

✉ info@rpmrubberparts.com




These loads are for on-highway and general industrial uses. For off-highway, use 90% of the load shown.



[Request for Quote](#)

[Contact Us](#)

 **USA**  
4392 Broadway  
Depew, NY 14043

 **Canada**  
2290 Industrial Street  
Burlington, Ontario  
L7P 1A1

 888.842.5668

 905.335.5523

 [info@rpmrubberparts.com](mailto:info@rpmrubberparts.com)




# J-8006-66 Two-Piece Mounts Cbb Cbc Series



Item # J-8006-66 Two-Piece Mounts Cbb Cbc Series  
 Manufacturer: Lord Corporation

## Specifications (Continued)

Manufacturer	Parker LORD
Material	Low Carbon Steel
Max Axial Static Load at Deflection (lbs)	565 at 0.04
Max Axial Static Load Rating at Deflection (lbs/in)	565 at 0.04
Max Axial Static Load Rating at Deflection (N/mm)	2515 at 0.95
Recommended Bolt Grade or Class (SAE J1199)	10.9
Recommended Bolt Grade or Class (SAE J429)	8
Recommended Bolt Size (in)	5/8
SD (in)	1.53
SD (mm)	38.9
T (in)	0.88
T (mm)	22.4
WD (in)	2.88



Two-Piece Mounts are designed for applications involving severe dynamic forces in the static load direction, as well as the rebound direction. Travel is limited in both directions by rubber in compression which provides snubbing. These mounts are designed to support engines, cabs and


[Request for Quote](#)
[Contact Us](#)

**USA**  
 4392 Broadway  
 Depew, NY 14043

**Canada**  
 2290 Industrial Street  
 Burlington, Ontario  
 L7P 1A1

☎ 888.842.5668

☎ 905.335.5523

✉ info@rpmrubberparts.com



These loads are for on-highway and general industrial uses. For off-highway, use 90% of the load shown.



[Request for Quote](#)

[Contact Us](#)

 **USA**  
4392 Broadway  
Depew, NY 14043

 **Canada**  
2290 Industrial Street  
Burlington, Ontario  
L7P 1A1

 888.842.5668

 905.335.5523

 [info@rpmrubberparts.com](mailto:info@rpmrubberparts.com)




# J-8006-66 Two-Piece Mounts Cbb Cbc Series



Item # J-8006-66 Two-Piece Mounts Cbb Cbc Series  
 Manufacturer: Lord Corporation

## Specifications (Continued)

WD (mm)	73.2
WT (in)	0.125
WT (mm)	3.2



Two-Piece Mounts are designed for applications involving severe dynamic forces in the static load direction, as well as the rebound direction. Travel is limited in both directions by rubber in compression which provides snubbing. These mounts are designed to support engines, cabs and



[Request for Quote](#)

[Contact Us](#)

**USA**  
 4392 Broadway  
 Depew, NY 14043

**Canada**  
 2290 Industrial Street  
 Burlington, Ontario  
 L7P 1A1

☎ 888.842.5668

☎ 905.335.5523

✉ [info@rpmrubberparts.com](mailto:info@rpmrubberparts.com)



These loads are for on-highway and general industrial uses. For off-highway, use 90% of the load shown.




[Request for Quote](#)

[Contact Us](#)

 **USA**  
4392 Broadway  
Depew, NY 14043

 **Canada**  
2290 Industrial Street  
Burlington, Ontario  
L7P 1A1

 888.842.5668

 905.335.5523

 [info@rpmrubberparts.com](mailto:info@rpmrubberparts.com)

