


J-11729-195

in Flex-Bolt® Sandwich Mounts (UNC Thread) Type 3



Flex-Bolt® Sandwich Mounts are Manufactured by LORD Corporation.

- Economical.
- Compact and lightweight.
- Easy to install.

- Unitized construction.

Flex-Bolt® Sandwich Mounts are Manufactured by LORD Corporation.

Flex-Bolt® Sandwich Mounts are designed to protect equipment, machinery and sensitive components against damaging vibration. This family of mounts has excellent capacity for energy control. Constructed with high-strength bonds and specially compounded elastomers, these mounts provide high load carrying capacity and assure long life.

The simple design and unitized construction provide low-cost mounting systems which are compact, lightweight, easy to install and maintenance free.

If you don't see the size you need, contact us - we can help.

Specifications

COMPRESSION STATIC LOAD (LBS)	250
COMPRESSION STATIC LOAD (N)	1112
COMPRESSION - SPRING RATE KC (LBS/IN)	1820
COMPRESSION - SPRING RATE KC (N/MM)	319
A (IN)	1.5
C (IN)	1
D (IN)	0.75
THREAD SIZE	3/8-16 UNC
DUROMETER	59
ELASTOMER	Oil Resistant Elastomer - Neoprene
THREAD TYPE	Standard UNC
PRODUCT TYPE	Mounts
MANUFACTURER	Lord Corporation
TYPE	3
GRADE PER SAE J429	1

