



J-3424-2

in Flex-Bolt® Sandwich Mounts (UNC Thread) Type 4



- Compact and lightweight.
- Easy to install.
- Maintenance-free.
- Three size groups: small, medium and large.
- Unitized construction.

Flex-Bolt® Sandwich Mounts are Manufactured by LORD Corporation.

Flex-Bolt® Sandwich Mounts are designed to protect equipment, machinery and sensitive components against damaging vibration. This family of mounts has excellent capacity for energy control. Constructed with high-strength bonds and specially compounded elastomers, these mounts provide high load carrying capacity and assure long life.

The simple design and unitized construction provide low-cost mounting systems which are compact, lightweight, easy to install and maintenance free.

If you don't see the size you need, contact us - we can help.

Specifications

COMPRESSION STATIC LOAD (LBS)	278
COMPRESSION STATIC LOAD (N)	1237
COMPRESSION - SPRING RATE KC (LBS/IN)	1220
COMPRESSION - SPRING RATE KC (N/MM)	214
SHEAR STATIC LOAD (LBS)	66
SHEAR STATIC LOAD (N)	293
SHEAR - SPRING RATE KS (LBS/IN)	290
SHEAR - SPRING RATE KS (N/MM)	51
A (IN)	2
B (IN)	0.4
C (IN)	2.12
D (IN)	0.4
THREAD SIZE	1/2-13 UNC

ELASTOMER	Oil Resistant Elastomer - Neoprene
PRODUCT TYPE	Mounts
MANUFACTURER	LORD Corporation
TYPE	4
GRADE PER SAE J429	2